

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>Round Cove Aquaculture</b>							
17030	- Buoy NW	41 36 34 N 70 50 38 W				Yellow can.	Private aid.
						*	51/00
17035	- Lighted Buoy NE	41 36 48 N 70 50 25 W	<b>Q Y</b>			Yellow sphere.	Replaced with unlighted buoy from Oct. 1 to May 1. Private aid.
		*					51/00
17040	- Lighted Buoy SE	41 36 40 N 70 50 14 W	<b>Q Y</b>			Yellow.	Private aid.
	*	*	*			*	51/00
17045	- Buoy SW	41 36 30 N 70 50 26 W				Yellow can.	Private aid.
		*				*	51/00
36820	- Channel Lighted Buoy 34		<b>FIR 4s</b>		5	Red.	
					*		51/00
*37323	- Channel Lighted Buoy 13A	40 38 28 N 74 08 42 W	<b>FI G 2.5s</b>		4	Green.	
							51/00
CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
35 1100	Little Egg Inlet Outer Lighted Whistle Buoy LE	39 27 45 N 74 16 36 W	<b>Mo (A) W</b>		5	Red and white stripes with red spherical topmark.	
		*					51/00
190 1490	Hen and Chickens Shoal Lighted Gong Buoy 1 HC Off southeast end of shoal.	38 42 43 N 74 58 56 W	<b>FI G 2.5s</b>		4	Green.	
		*					51/00
340 6965	Sand Shoal Inlet Lighted Whistle Buoy A	37 17 48 N 75 41 54 W	<b>Mo (A) W</b>		5	Red and white stripes with red spherical topmark.	
					*		51/00
<b>CAPE HATTERAS TO LITTLE RIVER INLET (Chart 11520)</b>							
640	Diamond Shoal Light	35 09 06 N 75 17 54 W	<b>FI W 10s</b>	125	19	Orange tower on white square super-structure on four steel pilings DIAMOND on sides.	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 30s (3s bl).
					*		51/00

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceeding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LITTLE EGG INLET TO HEREFORD INLET (Charts 12318)</b>							
<b>Little Egg Inlet</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
1100 35	- Outer Lighted Whistle Buoy LE	39 27 45 N 74 16 36 W	<b>Mo (A) W</b>		5	Red and white stripes with red spherical topmark.	
		*					51/00
*1483	- Entrance Junction Lighted Buoy DF	38 46 17 N 74 58 45 W	<b>Fl R (2+1) 6s</b>		4	Red and green bands.	
							51/00
<b>South Approach</b>							
1490 190	Hen and Chickens Shoal Lighted Gong Buoy 1HC Off southeast end of shoal.	38 42 43 N 74 58 56 W	<b>Fl G 2.5s</b>		4	Green.	
		*					51/00
1495	Hens and Chickens Shoal Lighted Buoy 3HC	38 44 46 N 75 01 24 W	<b>Fl G 4s</b>		4	Green.	
		*					51/00
<b>Sand Shoal Inlet</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
6965 340	- Lighted Whistle Buoy A	37 17 48 N 75 41 54 W	<b>Mo (A) W</b>		5	Red and white stripes with red spherical topmark.	
					*		51/00
16355	- Daybeacon 4					TR on pile.	
	*		*	*	*	*	51/00
16370	- Daybeacon 9	37 53 19 N 76 14 52 W		15		SG on pile.	
		*					51/00
<b>Slough Creek</b>							
16380	- Daybeacon 1S	37 53 19 N 76 14 52 W				SG on pile.	
		*					51/00
17000	Potomac River Buoy 12	38 12 18 N 76 40 00 W				Red nun.	
		*					51/00
*19217	Cat Creek Buoy 1					Green can.	Private aid.
							51/00

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceeding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*19217.1	Cat Creek Buoy 2				Red nun.		Private aid.  51/00
*19217.2	Cat Creek Buoy 3				Green can.		Private aid.  51/00
*19217.3	Cat Creek Buoy 5				Green can.		Private aid.  51/00
19330	- Daybeacon 3	38 45 18 N 76 32 55 W			SG on pile.		
		*					51/00
20615	Coal Pier Channel Entrance Buoy 2						<i>Remove from list.</i>  *
							51/00
20620	Coal Pier Channel Junction Buoy CP 50 feet outside channel limit.						<i>Remove from list.</i>  *
							51/00
*20641	- Buoy 1	39 12 32 N 76 30 59 W			Green can.		
							51/00
*20643	- Buoy 2	39 12 39 N 76 30 45 W			Red nun.		
							51/00
29160	- Buoy 4				Red nun.		
	*						51/00
29165	- Wreck Buoy WR5				Green can.		
	*						51/00
34265	- Warning Daybeacon				NW on pile.		
	*		*	*	*	*	51/00
34555	- Buoy 3				Green can.		
	*		*	*	*	*	51/00
<b>Marshallberg</b>							
34655	- Channel Daybeacon 1	34 43 07 N 76 31 15 W			SG on pile.		
		*					51/00
34765	- Buoy 8				Red nun.		
	*					*	51/00

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceeding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1345 21585	NEW PASS ENTRANCE LIGHT 2	27 18 54 N 82 35 53 W	FI R 4s	16	4	TR on pile.	
		*					51/00
2750	- DIKE LIGHT 47	32 49 28 N 79 55 55 W	FI G 4s	22	4	SG on skeleton tower.	
		*		*			51/00
*2750.5	- MIDDLE DIKE OBSTRUCTION LIGHT	32 50 01 N 79 56 06 W	FI W 4s	21	4	NW on skeleton tower worded DANGER UNDERWATER DIKE.	
							51/00
2805	- DIKE LIGHT 49	32 50 43 N 79 55 52 W	FI G 4s	20	4	SG on skeleton tower.	
		*					51/00
4685	- Lighted Buoy 3	32 03 48 N 80 49 49 W	Q G		3	Green.	
	*	*	*	*	*	*	51/00
<b>New Pass</b>							
21585 1345	- ENTRANCE LIGHT 2	27 18 54 N 82 35 53 W	FI R 4s	16	4	TR on pile.	
		*					51/00
*21585.5	- Buoy 2A					Red nun.	
							51/00
21590	- Channel Buoy 3					Green can.	
	*		*	*	*	*	51/00
21595	- Channel Buoy 3A					Green can.	
	*					*	51/00
21600	- Channel Daybeacon 4						Remove from list.
							*
							51/00
21605	- Channel Daybeacon 4A						Remove from list.
							*
							51/00

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*1177	Galveston Safety Fairway Lighted Buoy WR6 266 yards, 125° from wreck.	29 20 12 N 94 38 51 W	Q R		4	Red.	
							51/00

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceeding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3420	- LIGHT 2	30 10 30 N 85 44 48 W	FI R 4s	17	3	TR on dolphin.	Ra ref.
							* 51/00
4705	- Daybeacon 9	30 29 54 N 87 08 18 W		17		SG on pile.	Ra ref.
							* 51/00
*10367	LUMCON ENVIRONMENTAL MONITORING STATION LIGHT	30 18 52 N 90 16 49 W	FI Y 2.5s	10		On platform.	Private aid.
							51/00
*19827	- DANGER LIGHT	29 49 53 N 91 54 30 W	FI W 2.5s	11		NW on pile worded DANGER ROCK SILL.	Private aid.
							51/00
*19829	- DANGER LIGHT	29 49 52 N 91 54 31 W	FI W 2.5s	11		NW on pile worded DANGER ROCK SILL.	Private aid.
							51/00
22885	LOWER GALVESTON BAY OUTER RANGE REAR LIGHT 3,300 yards, 156.3° from front light.		Oc W 4s Oc G 4s FI W 4s	132 135 40	5	On skeleton tower on piles.	Visible 2° each side of range line. Passing light visible all around.
							* 51/00
22955	LOWER GALVESTON BAY INNER RANGE REAR LIGHT 1,564.3 yards, 336.3° from front light.		Iso W 6s Iso G 6s FI W 4s	116 119 40	5	On skeleton tower on piles.	Visible 2° each side of range line. Passing light visible all around.
							* 51/00
23365	COUNTY WHARF LIGHT 1	29 40 52 N 94 58 56 W	FI G 2.5s	25		On dolphin.	Private aid.
		*	*				51/00
*23367	County Wharf Obstruction Lighted Buoy 1A	29 40 53 N 94 58 56 W	FI G 2.5s			Green.	Private aid.
							51/00
23370	COUNTY WHARF LIGHT 3	29 40 53 N 94 58 57 W	FI G 2.5s	25		On dolphin.	Private aid.
		*	*				51/00
<b>Offatts Bayou Entrance Channel</b>							
34630	- Daybeacon 1					SG on pile.	Ra ref.
							* 51/00
34655	- Daybeacon 6					TR on pile.	Ra ref.
							* 51/00

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceeding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2000

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
40170	- LIGHT 17	26 19 42 N 97 18 36 W	FI G 4s	17	3	SG-SY on pile.	
						*	51/00

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2000

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3945	Toro Creek Submarine Terminal Mooring Buoy						<i>Remove from list.</i>
							* 51/00
<b>Puget Sound</b>							
16550	Point No Point Light	47 54 42 N 122 31 36 W	FI (3) W 10s 0.1s fl 5.9s ec.	27	17	White octagonal tower on building. 20	Emergency light Iso W 6s. Lighted throughout 24 hours. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si).
							* 51/00
18470	Gedney Island Fishing Reef Buoy A						<i>Remove from list.</i>
							* 51/00
<b>Chatham Sound</b>							
21770	Lucy Islands Light (C)	54 17 45 N 130 36 32 W	FI R 6s	71	12	White octagonal tower.	Visible from 094.5° to 351.5°. Emergency light.
		*					* 51/00
<b>*Delete Heading: *Saint Herman Harbor</b>							
26725	SOUTH ENTRANCE LIGHT 8						<i>Remove from list.</i>
							* 51/00
<b>*Add Heading: *Saint Herman Harbor</b>							
26730	- South Approach Buoy 1	57 46 30 N 152 25 18 W				Green can.	
							51/00

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2000

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12595	Majors Shoal East Buoy 1 Marks east side of shoal.					Green can.	Replaced by smaller can from Dec. 7 to Apr. 28.
							* 51/00

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceeding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>Two Harbors</b>							
16500	- Light	47 00 49 N 91 39 44 W	<b>Fl (2) W</b> 20s 0.15s fl 4.85s ec 0.15s fl 14.85s ec	78 <b>24</b>		Square tower on dwelling. 50	Light obscured from 065° to 210°. Private aid.
		*					* 51/00
17830	- Buoy 6					Red nun.	Maintained from May 7 to Nov. 14.
							* 51/00
<b>Grand Traverse Bay</b>							
18105	Fisherman Island Shoal Buoy 1 Marks northwest side of shoal.					Green can.	Replaced by smaller can from Nov. 14 to May 7.
							* 51/00
<b>PORT WASHINGTON TO WAUKEGAN (Chart 14904)</b>							
20600	Wind Point South Shoal Buoy 16 Marks east side of shoal.					Red nun.	Replaced by smaller nun from Dec. 7 to Mar. 21.
							* 51/00

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceeding the station number.